# Garden Bugs & Insects of the NORTHEAST

**Jaret C. Daniels** 

Adventure Quick Guides

IDENTIFY POLLINATORS, PESTS, AND OTHER GARDEN VISITORS

#### **BUTTERFLIES & MOTHS** Order Lepidoptera



(Libytheana carinenta)

wingspan to 1.9 inches; wings brown above with orange patches; variable brown below: forewing squarred off: elongated labial palps create a squared off, snout-like appearance

### Summer Azure 🙆 🚺

(Celastrina neglecta)

wingspan up to 1.1 inches; wings above light blue in males; white-blue with broard dark margins on forewing in females; wings below light gray with small dark spots

#### Spring Azure 合 (Celastrina ladon)



wingspan up to 1 inch; wings above light blue in males; white-blue to violetblue with broad dark margins on forewing in females; wings below light grav with pronounced dark spots and bands

# Monarch 🕰 🚺

(Danaus plexippus)

wingspan up to 5 inches; wings orange with black veins and borders; avid flower visitor; migratory; larvae feed on milkweeds

### Monarch Larva 🚺

(Danaus plexippus)

up to 2 inches long; banded with yellow, white, and black; has two black filaments on each end: feeds on milkweeds; populations declining

# Red-spotted Purple 谷

(Limenitis arthemis astyanax)

wingspan up to 4 inches; wings above black with blue iridescence; hindwing below black with blue iridescence and bold orange spots; adults seldom visit flowers: larvae feed on black cherry. deerberry, and willows





#### BEETLES Order Coleoptera

### Colorado Potato Beetle P

(Leptinotarsa decemlineata)

up to 0.4 inch long; oval, cream-to-tan body with black stripes and a slightly orange thorax (pronotum) marked with black; bulbous larvae are reddish marked with black spots; pest of various nightshade family plants, including potato, eggplant, and tomato

#### Spotted Cucumber Beetle P 🖸

(Diabrotica undecimpunctata) up to 0.35 inch long; black head; yellow wing coverings with black spots; adults and larvae feed on squash, cucumbers, pumpkins, and melons

#### Spotted Asparagus Beetle P

(Crioceris duodecimpunctata) up to 0.25 inch long; reddish-orange wing coverings with 12 black spots; adults and larvae feed on asparagus

#### Common Asparagus Beetle P

(Crioceris asparagi)

up to 0.3 inch long; head black, thorax orange; wing coverings dark bluishgreen with cream spots and orange along the margin; adults and larvae feed on asparagus

# Black Vine Beetle 🕑

(Otiorhynchus sulcatus)

up to 0.5 inch long; dark gray with a short pronounced snout; larvae feed on the roots of many plants

#### Eastern Elderberry Borer P

(Desmocerus palliatus)

up to 1 inch long; elongated, dark blue body; wing coverings orange at base and dark blue toward the rear; long antennae; adults feed on pollen; larvae are pests of elderberry









# Adventure Quick Guides

Welcome the Guests. Control the Pests.

Simple and convenient organized by group for quick and easy identification

- Pocket-size format—easier than laminated foldouts
- Professional photos showing key traits
- Icons that identify pollinators and pests
- Easy-to-use information for even casual observers
- Tips to attract beneficial bugs and repel damaging ones
- Expert author is an entomologist and nature photographer

#### Get these Adventure Quick Guides for your area



#### **GARDENING / NATURE / NORTHEAST**



