

# Garden Bugs & Insects of the NORTHWEST



Jaret C. Daniels

*Adventure Quick Guides*

IDENTIFY POLLINATORS, PESTS, AND OTHER GARDEN VISITORS

# BUTTERFLIES & MOTHS

## Order Lepidoptera

### Purplish Copper

(*Lycaena helloides*)

wingspan up to 1.25 inches; wings above brown with distinct purple sheen in males; females with more orange scaling; hindwing below gray-brown with narrow wavy orange line along the outer margin



### Gray Hairstreak

(*Strymon melinus*)

wingspan up to 1.4 inches; wings above dark gray with orange-capped black spot on hindwing; hindwing below light gray with white-outlined black line and orange-capped black spots near single hair-like tail; avid flower visitor



### Monarch

(*Danaus plexippus*)

wingspan up to 5 inches; wings orange with black veins and borders; avid flower visitor; migratory; larvae feed on milkweeds



### Monarch Larva

(*Danaus plexippus*)

up to 2 inches long; banded with yellow, white, and black; has two black filaments on each end; feeds on milkweeds; populations declining



### Great Spangled Fritillary

(*Speyeria cybele*)

wingspan up to 3.5 inches; wings tawny orange with black spots and bands in male; wings dark brown with broad pale borders in female; hindwing below tawny orange to dark brown with silvery spots and a broad pale band along the outer margin



# BEETLES

## Order Coleoptera

### Spotted Cucumber Beetle **P** **D**

(*Diabrotica undecimpunctata*)

up to 0.35 inch long; black head; yellow wing coverings with black spots; adults and larvae feed on squash, cucumbers, pumpkins, and melons



### Spotted Asparagus Beetle **P**

(*Crioceris duodecimpunctata*)

up to 0.25 inch long; reddish-orange wing coverings with 12 black spots; adults and larvae feed on asparagus



### Common Asparagus Beetle **P**

(*Crioceris asparagi*)

up to 0.3 inch long; head black, thorax orange; wing coverings dark bluish-green with cream spots and orange along the margin; adults and larvae feed on asparagus



### Asian Lady Beetle **P** **B**

(*Harmonia axyridis*)

up to 0.35 inch; oval body; pattern highly variable from unmarked orange to red with black spots; invasive; adults invade homes and other structures to overwinter; displacing native lady beetles; adults and larvae feed on other insects, including many pest species



### Two-spotted Lady Beetle **B**

(*Adalia bipunctata*)

up to 0.2 inch long; round body; wing covering shiny red with two black spots; dark form is black with generally 4 red spots; adults and larvae predaceous



### Seven-spotted Lady Beetle **B**

(*Coccinella septempunctata*)


up to 0.3 inch long; round-to-oval body; thorax black with two white spots; wing coverings reddish-orange with 7 black spots; adults and larvae feed on aphids and other soft-bodied plant pests



# Adventure Quick Guides

## Welcome the Guests. Control the Pests.

**Simple and convenient—  
organized by group for quick  
and easy identification**



- Pocket-size format—easier than laminated foldouts
- Professional photos showing key traits
- Icons that identify pollinators and pests
- Easy-to-use information for even casual observers
- Tips to attract beneficial bugs and repel damaging ones
- Expert author is an entomologist and nature photographer

*Get these Adventure Quick Guides for your area*



**GARDENING / NATURE / NORTHWEST**

ISBN 978-1-64755-245-9

